Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6725227").PN.	USPAT; USOCR	OR	OFF	2006/01/03 11:20
S2	3126854	(database$1 or db$1 or data-base or "data base")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:23
S3	358	(database$1 or db$1 or data-base or "data base") and (quer$3 same (execut$3 with schedule$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:25
S4	70	(database$1 or db$1 or data-base or "data base") and (quer$3 same (execut$3 with schedule$1)) and (quer$3 with criteria$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:25
S5	50	(database$1 or db$1 or data-base or "data base") and (quer$3 same (execut$3 with schedule$1)) and (quer$3 with criteria$1) and (specific with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:26
S6	36	(database$1 or db$1 or data-base or "data base") and (quer$3 same (execut$3 with schedule$1)) and (quer$3 with criteria$1) and (specific with quer$3) and (system with parameter$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:27
S7	35	(database$1 or db$1 or data-base or "data base") and (quer$3 same (execut$3 with schedule$1)) and (quer$3 with criteria$1) and (specific with quer$3) and (system with parameter$1) and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:32
S8	1	(database$1 or db$1 or data-base or "data base") and (quer$3 same (execut$3 with schedule$1)) and (quer$3 with criteria$1) and (specific with quer$3) and (system with parameter$1) and (time with period) and (time near frame$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:28

S9	48	((("5734893") or ("5822747") or ("5325525") or ("5392430") or ("5437032") or ("5920716") or ("6138112") or ("5317731") or ("5495606") or ("5530939") or ("5614927") or ("5926809") or ("5960423") or ("6112198") or ("6363371") or ("6928554") or ("6938036") or ("5752031") or ("5687362") or ("5855019") or ("6088691") or ("5999192") or ("5920857") or ("5546576") or ("5873075") or ("5953716") or ("5995959") or ("5412804") or ("5600831") or ("5608904") or ("5715450") or ("5745746") or ("5864842") or ("5937401") or ("5940289") or ("5950188") or ("5956706") or ("6006224") or ("6014655") or ("6035298") or ("6081801") or ("6212514") or ("6212514") or ("6243710") or ("4769772") or ("4860201") or ("5050075") or ("5191578") or ("5210870") or ("5276870).pn.")). PN.	USPAT; USOCR	OR	OFF	2006/01/03 12:21
S11	32	S9 and (quer$3) and (execut$3) and (schedule or plan$3)	USPAT	OR	OFF	2006/01/03 19:25
S12	32	S9 and (quer$3) and (execut$3) and (schedule or plan$3) and time	USPAT	OR	OFF	2006/01/03 12:23
S13	29	S9 and (quer$3) and (execut$3) and (schedule or plan$3) and time and user and application	USPAT	OR	OFF	2006/01/03 12:23
S14	6	S9 and (quer$3) and (execut$3) and (schedule or plan$3) and time and user$1 and application$1 and (data near source$1)	USPAT	OR	OFF	2006/01/03 12:24
S15	479	((quer$3 near execut$3) near (schedule$3 or plan$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:45
S16	11159	((quer$3 near execut$3) near (schedule$3 or plan$3)) (quer$3) and time and user$1 and application$1 and (data near source$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:18

S17	100	((quer$3 near execut$3) near (schedule$3 or plan$3)) and time and user$1 and application$1 and (data near source$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:19
S18	81	((quer$3 near execut$3) near (schedule$3 or plan$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:24
S19	1	((quer$3 near execut$3) near (schedule$3 or plan$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1) and timeframe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:24
S20	81	((quer$3 near execut$3) near (schedule$3 or plan$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1) and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 13:24
S21	54	((quer$3 near execut$3) near (schedule$3 or plan$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1) and (time same execut$3 same quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:43
S22	3	((quer$3 near execut$3) near (schedule$3 or plan$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1) and (time same execut$3 same quer$3) and (intersect$3 same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:57
S23	1	((quer$3 near execut$3) near (schedule$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1) and (time same execut$3 same quer$3) and (intersect$3 same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:57
S24	3	((quer$3 near execut$3) near (schedule$3)) and time and (user$1 same quer$3) and (application$1 same quer$3) and (data near source$1) and (time same execut$3 same quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:56

S25	4851	(quer$3) and (execut$3) and (schedule or plan$3) and time and user$1 and application$1 and (data near source$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:57
S26	3	(quer$3) and (execut$3) and (schedule or plan$3) and time and user$1 and application$1 and (data near source$1) and (intersect$3 same time$1) and (execut$3 same quer$3 same intersect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:02
S27	19	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 same time$1) and (execut$3 same quer$3 same intersect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:16
S28	366	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 with time$1) and (execut$3 same quer$3 (time with intersect$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:17
S29	366	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 with time$1) and (execut$3 with quer$3 (time with intersect$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:17
S30	11	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 with time$1) and (execut$3 with quer$3 (time with intersect$3)) and (intersect$3 with empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:22
S31	0	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 near time$1) and (execut$3 with quer$3 (time with intersect$3)) and (intersect$3 with empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:19
S32	60	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 near time$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:20

S33	2	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 near time$1) and (overlapp$3 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:58
S34	38	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 with time$1) and (overlapp$3 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:59
S35	13	(quer$3) and (execut$3) and (schedule or plan$3) and (intersect$3 with time$1) and (overlapp$3 with time) and (time same database$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:07
S36	1	(quer$3) and (execut$3) and (schedule or plan$3) and (quer$3 with (work near load))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:14
S37	1	(quer$3) and (execut$3) and (schedule or plan$3) and ((time near pattern) same (data near source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:19
S38	33541	(system near parameter$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:19
S39	324	(system near parameter$1) and (time near pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:19
S40	20254	(system near parameter$1) and ((time near pattern) same data source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:20

S41	3	(system near parameter$1) and ((time near pattern) same (data near source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 19:21
S42	22	(system near parameter$1) and ((time near pattern) and (data near source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:04
S43	6	S9 and workload$1	USPAT	OR	OFF	2006/01/04 16:39
S44	11	S9 and intersect$3	USPAT	OR	OFF	2006/01/03 19:25
S45	5	S9 and intersect$3 and load	USPAT	OR	OFF	2006/01/03 19:25
S46	5	S9 and intersect$3 and load and time	USPAT	OR	OFF	2006/01/03 19:26
S47	1278	(intersect$3 with (time near (frame$1 or period$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:05
S48	2	(intersect$3 with (time near (frame$1 or period$1))) and (intersect with empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:07
S49	3	(intersect$3 with (time near (frame$1 or period$1))) and (intersect same empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:07
S50	90	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:13
S51	66	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:12

S52	0	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern) same (data near source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:09
S53	0	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern) and (data near source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:09
S54	64	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern) and (data with source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:10
S55	64	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern) and (data with source) and (database$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:10
S56	64	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern) and (data with source) and (database$1) and (quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:11
S57	64	(intersect$3 with (time near (frame$1 or period$1))) and (system near parameter$1) and (time near pattern) and (data with source) and (database$1) and (quer$3) and (schedul$3 or plan$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:11
S58	1278	(intersect$3 with (time near (frame$1 or period$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:14
S59	27	(intersect$3 with (time near (frame$1 or period$1))) and (overlap$4 near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:27

S60	14056	(time near pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:28
S61	27	(time near pattern) same (data near source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:30
S63	45	(query same (time near pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 10:36
S64	1205590	(time near (frame or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:05
S65	5840	(time near (frame or period)) and ((intersect$3 or overlap$4) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:07
S66	33	(time near (frame or period)) and ((intersect$3 or overlap$4) near time) and (intersect$3 with (empty or full))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:08
S67	33	(time near (frame or period)) and ((intersect$3 or overlap$4) near time) and (intersect$3 with (empty or full))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:11
S68	4	(time near (frame or period)) and ((intersect$3 or overlap$4) near time) and (intersect$3 with (empty or full)) and (quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:28

S69	2543009	(availab$5 with database$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:22
S70	12348	(availab$5 with database$1) same time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:29
S71	5	(availab$5 with database$1) same (time near pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:30
S72	66	(availab$5 with database$1) same (time with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:57
S73	368	((work near load) same (time near (frame or period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:58
S74	8	((work near load) same (time near (frame or period))) and (system adj parameter$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:02
S75	9651	(availab$5 near database$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:46
S76	1370	(availab$5 near database$1) same time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:46

S77	1000	(availab$5 near database$1) same time and (time with ((data near source) or database$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
S78	572	(availab$5 adj database$1) same time and (time with ((data adj source) or database$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
S79	8	(availab$5 adj database$1) same time and (time with ((data adj source) or database$1)) and (work adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:56
S80	0	((availab$5 adj database$1) near2 time) and (time with ((data adj source) or database$1)) and (work adj load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:57
S81	34	((availab$5 adj database$1) near2 time) and (time with ((data adj source) or database$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:57
S82	0	("20040010458").PN.	USPAT; USOCR	OR	OFF	2006/01/04 16:34
S83	1	("20040010458").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/04 16:34

S84	48	(("(5734893") or ("5822747") or ("5325525") or ("5392430") or ("5437032") or ("5920716") or ("6138112") or ("5317731") or ("5495606") or ("5530939") or ("5614927") or ("5926809") or ("5960423") or ("6112198") or ("6363371") or ("6928554") or ("6938036") or ("5752031") or ("5687362") or ("5855019") or ("6088691") or ("5999192") or ("5920857") or ("5546576") or ("5873075") or ("5953716") or ("5995959") or ("5412804") or ("5600831") or ("5608904") or ("5715450") or ("5745746") or ("5864842") or ("5937401") or ("5940289") or ("5950188") or ("5956706") or ("6006224") or ("6014655") or ("6035298") or ("6081801") or ("6212514") or ("6212514") or ("6243710") or ("4769772") or ("4860201") or ("5050075") or ("5191578") or ("5210870") or ("5276870).pn.")). PN.	USPAT; USOCR	OR	OFF	2006/01/04 16:39
S85	6	S84 and workload$1 and time	USPAT	OR	OFF	2006/01/04 16:45
S86	82	((quer$3 near execut$3) near (schedule$3 or plan$3)) and workload$1 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:46
S87	82	((quer$3 near execut$3) near (schedule$3 or plan$3)) and workload$1 and time and database$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:46
S88	23	((quer$3 near execut$3) near (schedule$3 or plan$3)) and workload$1 and time and database$1 and (data near source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:47
S89	14	((quer$3 near execut$3) near (schedule$3 or plan$3)) and workload$1 and time and (availab$5 near2 database$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 16:48